

Foundations  
A Model  
Theoretic  
Perspective

John T.  
Baldwin

sociology

Thesis I

Thesis II

A Concept  
Analysis  
Size  
Rank

# Foundations A Model Theoretic Perspective

John T. Baldwin

September 4, 2009

# Outline

Foundations  
A Model  
Theoretic  
Perspective

John T.  
Baldwin

sociology

Thesis I

Thesis II

A Concept  
Analysis

Size  
Rank

- 1 sociology
- 2 Thesis I
- 3 Thesis II
- 4 A Concept Analysis
  - Size
  - Rank

# A Data point for PBPL

Foundations  
A Model  
Theoretic  
Perspective

John T.  
Baldwin

sociology

Thesis I

Thesis II

A Concept  
Analysis

Size  
Rank

Practice based philosophy of logic

Are model theorists logicians?

They do **not** analyze methods of reasoning.

# A Data point for PBPL

Foundations  
A Model  
Theoretic  
Perspective

John T.  
Baldwin

sociology

Thesis I

Thesis II

A Concept  
Analysis

Size  
Rank

Practice based philosophy of logic

Are model theorists logicians?

They do **not** analyze methods of reasoning.

A model theorist is a self conscious mathematician

Rather they utilize various formal languages and **semantics** to prove mathematical theorems.

# Sociology

Foundations  
A Model  
Theoretic  
Perspective

John T.  
Baldwin

sociology

Thesis I

Thesis II

A Concept  
Analysis

Size  
Rank

The discussion below will focus on two currents of 'main-stream' model theory.

It does not encompass:

- 1 models of arithmetic
- 2 finite model theory / model theory in computer science
- 3 generalized quantifiers
- 4 universal algebra

Most of the emphasis is on first order— for brevity. There are important extensions to infinitary logic and even 'syntax deprived' model theory.

# Mid-Atlantic Model Theory 2008

Foundations  
A Model  
Theoretic  
Perspective

John T.  
Baldwin

sociology

Thesis I

Thesis II

A Concept  
Analysis

Size  
Rank

- 1 Model theory and non-archimedean geometry
- 2 The valuation inequality for complex analytic structure
- 3 Cherlin's Conjecture and Generix's Adventures in Groupland
- 4  $\omega$ -stable semi-Abelian varieties
- 5 O-minimal triangulation respecting a standard part map
- 6 Some modest attempts at defining the notions of groups and fields of dimension one, and establishing their algebraic properties
- 7 Dependent theories: limit model existence and recounting the number of types
- 8 The non-elementary model theory of analytic Zariski structures
- 9 Difference fields, model theory and applications
- 10 Model Theory of the Adeles

# A tool for PBPM

## Practice Based Philosophy of Mathematics

### foundationS of mathematics

If  $X$  is any field of study, "foundations of  $X$ " refers to a more-or-less systematic analysis:

- 1 of the most basic or fundamental concepts of field  $X$ .
- 2 of the basic methodologies and proof techniques of the subject.
- 3 comparison with other fields

Below, I expound the use of logic as a tool for such an analysis.

Foundations  
A Model  
Theoretic  
Perspective

John T.  
Baldwin

sociology

Thesis I

Thesis II

A Concept  
Analysis

Size  
Rank

# Thesis I:

Foundations  
A Model  
Theoretic  
Perspective

John T.  
Baldwin

sociology

Thesis I

Thesis II

A Concept  
Analysis

Size  
Rank

Studying the model of different (complete first order) theories provides a framework for the understanding of the foundations of **specific areas** of mathematics.



# Three types of model theoretic analysis:

Foundations  
A Model  
Theoretic  
Perspective

John T.  
Baldwin

sociology

Thesis I

Thesis II

A Concept  
Analysis

Size  
Rank

- 1 Properties of first order logic (1930-1965)
- 2 Properties of complete theories (1950-present)
- 3 Properties of classes of theories (1970-present)

Review of 'The Birth of Model Theory' by C. Badesa

<http://www2.math.uic.edu/~jbaldwin/pub/birthbbbtrev.pdf>

google Baldwin Badesa

# Properties of first order logic (1930-1965):

Foundations  
A Model  
Theoretic  
Perspective

John T.  
Baldwin

sociology

Thesis I

Thesis II

A Concept  
Analysis

Size  
Rank

- 1 Completeness and Compactness
- 2 Lowenheim-Skolem
- 3 syntactic characterization of preservation theorems
- 4 Interpolation

# Complete Theory

Foundations  
A Model  
Theoretic  
Perspective

John T.  
Baldwin

sociology

Thesis I

Thesis II

A Concept  
Analysis

Size  
Rank

A theory  $T$  is complete if for every sentence  $\phi$ ,

$$T \vdash \phi$$

or

$$T \vdash \neg\phi$$

Note that for any structure  $M$ ,

$$\text{Th}(M) = \{\phi : M \models \phi\}$$

is a complete theory.

# Properties of complete theories (1950's):

Foundations  
A Model  
Theoretic  
Perspective

John T.  
Baldwin

sociology

Thesis I

Thesis II

A Concept  
Analysis

Size  
Rank

- 1 Complete Theories (A. Robinson)
- 2 Elementary Extension (Tarski-Vaught)
- 3 Models Generated by Indiscernibles (Ehrenfeucht-Mostoski)
- 4 quantifier elimination and model completeness (Robinson and Tarski)

# Algebraic examples: complete theories

Foundations  
A Model  
Theoretic  
Perspective

John T.  
Baldwin

sociology

Thesis I

Thesis II

A Concept  
Analysis

Size  
Rank

## Algebraic Geometry

Algebraic geometry is the study of definable subsets of algebraically closed fields

Not quite: definable by positive formulas

## Chevalley-Tarski Theorem

Chevalley: The projection of a constructible set is constructible.

Tarski:  $\text{Acf}$  admits elimination of quantifiers.

More precisely, this describes ‘Weil’ style algebraic geometry.

# Algebraic consequences for complete theories

Foundations  
A Model  
Theoretic  
Perspective

John T.  
Baldwin

sociology

Thesis I

Thesis II

A Concept  
Analysis  
Size  
Rank

- 1 Artin-Schreier theorem (A. Robinson)
- 2 Decidability and  $qe$  of the real field (Tarski)
- 3 Decidability and  $qe$  of the complex field (Tarski)
- 4 Decidability and model completeness of valued fields (Ax-Kochen-Ershov)
- 5 quantifier elimination for  $p$ -adic fields (Macintyre)
- 6  $o$ -minimality of the real exponential field (Wilkie)

# On Mathematical methodology

Foundations  
A Model  
Theoretic  
Perspective

John T.  
Baldwin

sociology

Thesis I

Thesis II

A Concept  
Analysis

Size  
Rank

## Thesis II:

Studying classes of theories provides an even more informative framework for the understanding of the methodology of specific areas of mathematics.

# Properties of classes of theories (1970-present)

Foundations  
A Model  
Theoretic  
Perspective

John T.  
Baldwin

sociology

Thesis I

Thesis II

A Concept  
Analysis

Size  
Rank

## The Stability Hierarchy

Every complete first order theory falls into one of the following 4 classes.

- 1  $\omega$ -stable
- 2 superstable but not  $\omega$ -stable
- 3 stable but not superstable
- 4 unstable



# The stability hierarchy: examples

## $\omega$ -stable

Algebraically closed fields (fixed characteristic), differentially closed fields, complex compact manifolds

## strictly superstable

$(\mathcal{Z}, +)$ ,  $(2^\omega, +) = (Z_2^\omega, H_i)_{i < \omega}$ ,

## strictly stable

$(\mathcal{Z}, +)^\omega$ , separably closed fields,

## unstable

Arithmetic, Real closed fields, complex exponentiation, random graph

# Concept Analysis: Dimension

Foundations  
A Model  
Theoretic  
Perspective

John T.  
Baldwin

sociology

Thesis I

Thesis II

A Concept  
Analysis

Size  
Rank

## Two Senses of Dimension

**Size** The reals have uncountable dimension as  $\mathbb{Q}$ -vector space.

**Rank** A surface is a two-dimensional set.

Size is a measure of a model.

rank is a measure of a definable set.

# GEOMETRIES

Foundations  
A Model  
Theoretic  
Perspective

John T.  
Baldwin

sociology

Thesis I

Thesis II

A Concept  
Analysis  
Size  
Rank

**Definition.** A pregeometry is a set  $G$  together with a dependence relation

$$cl : \mathcal{P}(G) \rightarrow \mathcal{P}(G)$$

satisfying the following axioms.

**A1.**  $cl(X) = \bigcup \{cl(X') : X' \subseteq_{fin} X\}$

**A2.**  $X \subseteq cl(X)$

**A3.** If  $a \in cl(Xb)$  and  $a \notin cl(X)$ , then  $b \in cl(Xa)$ .

**A4.**  $cl(cl(X)) = cl(X)$

If points are closed the structure is called a geometry.

Generalization

# STRONGLY MINIMAL

Foundations  
A Model  
Theoretic  
Perspective

John T.  
Baldwin

sociology

Thesis I

Thesis II

A Concept  
Analysis

Size  
Rank

$a \in \text{acl}(B)$  if  $\phi(a, \mathbf{b})$  and  $\phi(x, \mathbf{b})$  has only finitely many solutions.

A complete theory  $T$  is strongly minimal if and only if it has infinite models and

- 1 algebraic closure induces a pregeometry on models of  $T$ ;
- 2 any bijection between *acl*-bases for models of  $T$  extends to an isomorphism of the models

The complex field is strongly minimal.

Strongly minimal set are the building blocks of structures whose **first order** theories are categorical in uncountable power.

# Quasiminimality

A class  $(\mathbf{K}, \text{cl})$  is *quasiminimal* if  $\text{cl}$  is a combinatorial geometry which satisfies on each  $M \in \mathbf{K}$ :

- 1 there is a unique type of a basis,
- 2 a technical homogeneity condition:  
 $\aleph_0$ -homogeneity over  $\emptyset$  and over models.
- 3 Closure of countable sets is countable

## Theorem

A quasiminimal class is  $\aleph_1$ -categorical.

**Conjecturally** Complex exponential field.

Quasiminimal sets are the building blocks of structures whose  $L_{\omega_1, \omega}$ -theories are categorical in uncountable power. (VWGCH)

# (Families) of Combinatorial Geometries

Foundations  
A Model  
Theoretic  
Perspective

John T.  
Baldwin

sociology

Thesis I

Thesis II

A Concept  
Analysis

Size  
Rank

Two important generalizations occur in stability theory. The key is to define a family of 'almost combinatorial geometries':

$$a \in \text{cl}_A(B)$$

For each  $A$ ,  $\text{cl}_A(*)$  satisfies the first three conditions of a combinatorial geometry (and coherence conditions among the  $\text{cl}_A$ 's).

Recall Definition

# Approximate dimension

Foundations  
A Model  
Theoretic  
Perspective

John T.  
Baldwin

sociology

Thesis I

Thesis II

A Concept  
Analysis

Size  
Rank

## Dimension of Uncountable Structures

One can assign dimension (size) to uncountable models by replacing

$$cl(cl(X)) = cl(X)$$

with

For every  $B$ , there is a finite  $B_0$  such that  $a$  is independent from  $B$  over  $B_0$ .

(This condition holds in superstable theories.)

# Precise dimension

Foundations  
A Model  
Theoretic  
Perspective

John T.  
Baldwin

sociology

Thesis I

Thesis II

A Concept  
Analysis

Size  
Rank

Consider relations on and among regular types.

## Regaining a combinatorial geometry

$p \in S(A)$  is regular if on realizations of  $p$ , if  $a \in \text{cl}_A(BC)$  and each  $c \in C$  satisfies  $c \in \text{cl}_A(B)$  then  $a \in \text{cl}_A(B)$ .

Now one can give an exact dimension to models (by means of the relations between various regular types) of superstable theories satisfying certain additional conditions.



# Consequences: Main Gap

Foundations  
A Model  
Theoretic  
Perspective

John T.  
Baldwin

sociology

Thesis I

Thesis II

A Concept  
Analysis

Size  
Rank

Using these ideas of dimension Shelah proved:

## Main Gap

For every first order theory  $T$ , either

- 1 Every model of  $T$  is decomposed into a tree of countable models with uniform bound on the depth of the tree, or
- 2 The theory  $T$  has the maximal number of models in all uncountable cardinalities.

# Connecting the two notions of dimension

Foundations  
A Model  
Theoretic  
Perspective

John T.  
Baldwin

sociology

Thesis I

Thesis II

A Concept  
Analysis

Size  
Rank

Suppose  $T$  has a good notion of independence. Then define  $R(\phi(\mathbf{x})) = n$  iff the maximal dimension of a solution  $\mathbf{a}$  if  $\phi$  is  $n$ .

# Limitations on Sense II (Rank)

Foundations  
A Model  
Theoretic  
Perspective

John T.  
Baldwin

sociology

Thesis I

Thesis II

A Concept  
Analysis

Size  
Rank

If a model admits a pairing function, it has no rank (dimension in sense I)  
e.g. Arithmetic

## Theorem

If  $T$  admits a pairing function then  $T$  is not superstable.

# Various notions of rank

Foundations  
A Model  
Theoretic  
Perspective

John T.  
Baldwin

sociology

Thesis I

Thesis II

A Concept  
Analysis

Size  
Rank

- 1 Zariski dimension in algebraic geometry is a special case.
- 2 This is generalized to the Hrushovski-Zilber notion of Zariski Geometries.
- 3 In the class of  $o$ -minimal theories there is a Rank on definable sets. This allows a general framework answering Grothendieck's call for 'tame topologies'.

# 'Tame Theories': Rank

Foundations  
A Model  
Theoretic  
Perspective

John T.  
Baldwin

sociology

Thesis I

Thesis II

A Concept  
Analysis

Size  
Rank

There is a Rank on definable sets.

There are regularity properties connecting the different dimensions.

Roughly, a definable set  $\phi$  has rank  $n$  if there is a definable bijection between  $M^n$  and  $\phi(M)$ .

## $\mathcal{o}$ -minimality

An ordered structure is  $\mathcal{o}$ -minimal if every definable set is a Boolean Combination of intervals.

$\mathcal{o}$ -minimal structures are a natural solution to Grothendieck's request to isolate 'tame topologies.'

# Conclusion

Foundations  
A Model  
Theoretic  
Perspective

John T.  
Baldwin

sociology

Thesis I

Thesis II

A Concept  
Analysis  
Size  
Rank

## Thesis II:

Studying classes of theories provides an even more informative framework for the understanding of the methodology of specific areas of mathematics.

We have illustrated this thesis by connecting the notion of dimension in the study of

- 1 algebraic geometry
- 2 complex exponentiation
- 3 general model theory
- 4 tame topology