


February 23, 2021

1. Prove that for all $n \in \mathbb{N}$, $\sum_{i=0}^n 2^i = 2^{n+1} - 1$.
2. Let $x \in \mathbb{R}$ with $x > -1$. Prove that for all $n \in \mathbb{N}$, $1 + nx \leq (1 + x)^n$. (Hint: at some point, you might want to consider two cases, one where $x \geq 0$, and one where $-1 < x < 0$.)
3. Recall that $\frac{d^n}{dx^n} f(x)$ means that you take the derivative of $f(x)$ n times. Prove that for all $n \in \mathbb{N}$, $\frac{d^n}{dx^n} (xe^x) = (n + x)e^x$. (Hint: use the product rule.)
4. Consider an $n \times n$ grid of squares. For example, here's a picture of a 3×3 grid:



Within an $n \times n$ grid, how many squares can you find? For example, in the 3×3 case, there are nine 1×1 squares, four 2×2 squares, and one 3×3 square, so there are 14 squares total.

Write your answer as a summation, and use induction to prove that this summation is $\frac{n(n+1)(2n+1)}{6}$.

5. **(Challenge)** Let $f : \mathbb{R} \rightarrow \mathbb{R}$ be a function such that $f(x + y) = f(x) + f(y)$ for all $x, y \in \mathbb{R}$.
 - (a) Prove that there is a real number a such that $f(n) = an$ for all $n \in \mathbb{N}$.
 - (b) Deduce that $f(n) = an$ for all $n \in \mathbb{Z}$.
 - (c) Deduce that $f(x) = ax$ for all $x \in \mathbb{Q}$.