## Math 502 Metamathematics I

Problem Set 4

## Due: Friday October 21

- 1) Let  $\mathcal{L} = \{E\}$  where E is a binary relation. Let  $T_0$  be the axioms for equivalence relations. Suppose  $T \supseteq T_0$  is an  $\mathcal{L}$ -theory such that for all n there is  $\mathcal{M} \models T$  with an equivalence class of size at least n. Then there is  $\mathcal{M} \models T$  with an infinite equivalence class. Conclude that the class of all equivalence relations where every clas is finite is not an elementary class.
- 2) Let  $\mathcal{L} = \{R\}$  where R is a binary relation. Recall that a *graph* is an  $\mathcal{L}$ -structure  $\mathcal{M}$  where  $R^{\mathcal{M}}$  is symmetric and irreflexive. We say that a graph is *connected* if for each  $x \neq y$  we can find a path from x to y. Prove that the class of connected graphs is not an elementary class.
- 3) Let  $\mathcal{L}$  be the language with one binary relation symbol <. Let T be an  $\mathcal{L}$ -theory extending the theory of linear orders such that T has infinite models. Show that there is  $\mathcal{M} \models T$  and an order preserving embedding  $\sigma : \mathbb{Q} \to M$  of the rational numbers into M. For example there is  $\mathcal{M} \models \operatorname{Th}(\mathbb{Z},<)$  in which the rational order embedds.[Hint: Add constants  $c_q$  for all  $q \in \mathbb{Q}$  and let  $T^* = T \cup \{c_q < c_r : q, r \in \mathbb{Q}, q < r\}$ .]
- 4) Let  $\mathcal{L} = \{s\}$ , where s is a unary function symbol. Let T be the  $\mathcal{L}$ -theory that asserts that s is a bijection with no cycles (i.e.,  $s^{(n)}(x) \neq x$  for n = 1, 2, ...). For which cardinals  $\kappa$  is T  $\kappa$ -categorical? Is T complete?